

Search Forms

Search Results

Help

User Searches

Preferences

Logout

Refine Search

Search Results -

Term	Documents
(37 NOT 25).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	16
(L37 NOT L25).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	16

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L38

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Friday, April 08, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L38</u>	L37 not l25	16	<u>L38</u>
<u>L37</u>	microengine\$1 and swap\$5 and (plural\$5 or multi or dual) near4 thread\$3	53	<u>L37</u>
	<i>DB=PGPB,USPT; PLUR=YES; OP=OR</i>		
<u>L36</u>	l23 and l31	13	<u>L36</u>
<u>L35</u>	l23 and l29	1	<u>L35</u>
<u>L34</u>	l23 and l28	9	<u>L34</u>
<u>L33</u>	l23 and l27	5	<u>L33</u>
<u>L32</u>	l23 and l26	12	<u>L32</u>
<u>L31</u>	L30 l23 and l26	4760	<u>L31</u>
<u>L30</u>	(719/314-310)[CCLS]	4748	<u>L30</u>
<u>L29</u>	(719/314-310)![CCLS]	4748	<u>L29</u>

<u>L28</u>	(718/101-108)[CCLS]	3605	<u>L28</u>
<u>L27</u>	(712/228)[CCLS]	503	<u>L27</u>
<u>L26</u>	(712/2-300)[CCLS]	10855	<u>L26</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L25</u>	microengine\$1 near25 swap\$5 and (plural\$5 or multi or dual) near6 thread\$3	37	<u>L25</u>
<u>L24</u>	microengine\$1 near15-swap\$5 and (plural\$5 or multi or dual) near4 thread\$3	37	<u>L24</u>
<u>L23</u>	microengine\$1 and (plural\$5 or multi or dual) near4 thread\$3	102	<u>L23</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L22</u>	L20 and thread\$3	0	<u>L22</u>
<u>L21</u>	L20 and micro near1 engine\$1	0	<u>L21</u>
<u>L20</u>	4868735.pn.	1	<u>L20</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L19</u>	L18 and predicat\$3	30	<u>L19</u>
<u>L18</u>	L17 and binary near1 decision\$1	158	<u>L18</u>
<u>L17</u>	l3 and (model\$5 or simulat\$4)	1803	<u>L17</u>
<i>DB=PGPB,USPT; PLUR=YES; OP=OR</i>			
<u>L16</u>	L3 and l11	159	<u>L16</u>
<u>L15</u>	L3 and l10	0	<u>L15</u>
<u>L14</u>	L3 and l9	102	<u>L14</u>
<u>L13</u>	L3 and l8	15	<u>L13</u>
<u>L12</u>	L3 and l7	49	<u>L12</u>
<u>L11</u>	(717/104-148)[CCLS]	5350	<u>L11</u>
<u>L10</u>	716/8-12	4	<u>L10</u>
<u>L9</u>	(703/13-28)[CCLS]	4094	<u>L9</u>
<u>L8</u>	(714/29-34)![CCLS]	1533	<u>L8</u>
<u>L7</u>	(712/2-200)[CCLS]	4701	<u>L7</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L6</u>	L5 and predicat\$3	15	<u>L6</u>
<u>L5</u>	(index\$3 or indices) and l4	77	<u>L5</u>
<u>L4</u>	L3 and binary near1 decision\$1	205	<u>L4</u>
<u>L3</u>	(symbol\$5 or variable\$1) near12 boolean	3422	<u>L3</u>
<u>L2</u>	(symbol\$5) near12 boolean	672	<u>L2</u>
<u>L1</u>	(antecedent or previous\$3) near12 (consequent\$3 or consequence) near12 assert\$5	8	<u>L1</u>

END OF SEARCH HISTORY


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((swap* <and> context*)<in>metadata)"

Your search matched 17 of 1142142 documents.

e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[» View Session History](#)[» New Search](#)

Modify Search

[» Key](#)

((swap* <and> context*)<in>metadata)



IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

Select Article Information

- | | |
|--------------------------|---|
| <input type="checkbox"/> | <p>1. Fast context switching by hierarchical task allocation and reconfigurable cache
 Tanaka, K.;
 Innovative Architecture for Future Generation High-Performance Processors and Systems
 17 July 2003 Page(s):20 - 29
 AbstractPlus Full Text: PDF(6163 KB) IEEE CNF</p> |
| <input type="checkbox"/> | <p>2. Pica: An ultra-light processor for high-throughput applications
 Wills, D.S.; Lacy, W.S.; Cat, H.; Hopper, M.A.; Razdan, A.; Chai, S.M.;
 Computer Design: VLSI in Computers and Processors, 1993. ICCD '93. Proceedings.,
 International Conference on
 3-6 Oct. 1993 Page(s):410 - 414
 AbstractPlus Full Text: PDF(504 KB) IEEE CNF</p> |
| <input type="checkbox"/> | <p>3. The impact of using the RISC architecture in the network nodes processor
 Elkateeb, A.;
 Intelligent Information Systems, 1997. IIS '97. Proceedings
 8-10 Dec. 1997 Page(s):540 - 544
 AbstractPlus Full Text: PDF(420 KB) IEEE CNF</p> |
| <input type="checkbox"/> | <p>4. Copying and swapping: influences on the design of reusable software component
 Harms, D.E.; Weide, B.W.;
 Software Engineering, IEEE Transactions on
 Volume 17, Issue 5, May 1991 Page(s):424 - 435
 AbstractPlus Full Text: PDF(1236 KB) IEEE JNL</p> |
| <input type="checkbox"/> | <p>5. Lossless image coding using a switching predictor with run-length encodings
 Lih-Jen Kau; Yuan-Pei Lin;
 Multimedia and Expo, 2004. ICME '04. 2004 IEEE International Conference on
 Volume 2, 27-30 June 2004 Page(s):1155 - 1158 Vol.2
 AbstractPlus Full Text: PDF(592 KB) IEEE CNF</p> |
| <input type="checkbox"/> | <p>6. Trellis coded communication systems in the presence of colored noise: performance simulation, and the swapping technique
 Wang, J.-D.; Chung, H.Y.;
 Global Telecommunications Conference, 1988, and Exhibition. 'Communications for the
 Age.' Conference Record, GLOBECOM '88., IEEE
 28 Nov.-1 Dec. 1988 Page(s):1160 - 1165 vol.2</p> |

[AbstractPlus](#) | Full Text: [PDF](#)(380 KB) IEEE CNF

- ☐ 7. **Reliable multiuser tree setup with local identifiers**
Segall, A.; Barzilai, T.; Ofek, Y.;
Selected Areas in Communications, IEEE Journal on
Volume 9, Issue 9, Dec. 1991 Page(s):1427 - 1439
[AbstractPlus](#) | Full Text: [PDF](#)(1296 KB) IEEE JNL

- ☐ 8. **High-throughput, low-memory applications on the Pica architecture**
Wills, D.S.; Cat, H.H.; Cruz-Rivera, J.; Lacy, W.S.; Baker, J.M., Jr.; Eble, J.C.; Lopez-L
Hopper, M.;
Parallel and Distributed Systems, IEEE Transactions on
Volume 8, Issue 10, Oct. 1997 Page(s):1055 - 1067
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(1640 KB) IEEE JNL

- ☐ 9. **The swappable logic unit: a paradigm for virtual hardware**
Brebner, G.;
FPGAs for Custom Computing Machines, 1997. Proceedings., The 5th Annual IEEE S
16-18 April 1997 Page(s):77 - 86
[AbstractPlus](#) | Full Text: [PDF](#)(872 KB) IEEE CNF

- ☐ 10. **Continuous program optimization: Design and evaluation**
Kistler, T.; Franz, M.;
Computers, IEEE Transactions on
Volume 50, Issue 6, June 2001 Page(s):549 - 566
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(3856 KB) IEEE JNL

- ☐ 11. **Optimal execution of portfolio trades**
Rickard, J.T.; Lupien, W.A.; Wallace, G.A.;
Signals, Systems & Computers, 1997. Conference Record of the Thirty-First Asilomar
Volume 1, 2-5 Nov. 1997 Page(s):909 - 914 vol.1
[AbstractPlus](#) | Full Text: [PDF](#)(408 KB) IEEE CNF

- ☐ 12. **User-level communication in a system with gang scheduling**
Etsion, Y.; Feitelson, D.G.;
Parallel and Distributed Processing Symposium., Proceedings 15th International
23-27 April 2001 Page(s):9 pp.
[AbstractPlus](#) | Full Text: [PDF](#)(152 KB) IEEE CNF

- ☐ 13. **A temporal bipartitioning algorithm for dynamically reconfigurable FPGAs**
Canto, E.; Moreno, J.M.; Cabestany, J.; Lacadena, I.; Insenser, J.M.;
Very Large Scale Integration (VLSI) Systems, IEEE Transactions on
Volume 9, Issue 1, Feb. 2001 Page(s):210 - 218
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(240 KB) IEEE JNL

- ☐ 14. **A time-resolved study of rotational and vibrational excitation and relaxation in th
optically pumped far-infrared laser**
McCormick, R.; De Lucia, F.; Skatrud, D.;
Quantum Electronics, IEEE Journal of
Volume 23, Issue 12, Dec 1987 Page(s):2060 - 2068
[AbstractPlus](#) | Full Text: [PDF](#)(2928 KB) IEEE JNL

- ☐ 15. **Performance analysis of high-speed computers in scientific/engineering environ**
Helin, J.; Kaski, K.;
System Sciences, 1990., Proceedings of the Twenty-Third Annual Hawaii International
Volume i, 2-5 Jan. 1990 Page(s):268 - 277 vol.1
[AbstractPlus](#) | Full Text: [PDF](#)(768 KB) IEEE CNF

- ☐ **16. Approaching a formal definition of fairness in electronic commerce**
Gartner, F.C.; Pagnia, H.; Vogt, H.;
Reliable Distributed Systems, 1999. Proceedings of the 18th IEEE Symposium on
19-22 Oct. 1999 Page(s):354 - 359
[AbstractPlus](#) | Full Text: [PDF](#)(72 KB) IEEE CNF
- ☐ **17. Unconditional teleportation of continuous-variable entanglement**
van Loock, P.; Braunstein, S.L.;
Quantum Electronics and Laser Science Conference, 2000. (QELS 2000). Technical D
7-12 May 2000 Page(s):223 - 224
[AbstractPlus](#) | Full Text: [PDF](#)(176 KB) IEEE CNF



[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2005 IEEE -

Indexed by
 Inspec